



CTO S.A.

Centrum Techniki Okrętowej S.A.
Product Certification Division
Szczecińska 65, 80-392 Gdańsk, Poland
phone: +48 58 307 45 28
e-mail: certyfikacja@cto.gda.pl

CENTRUM TECHNIKI OKRĘTOWEJ S.A.
PRODUCT CERTIFICATION DIVISION

**VOLUNTARY CERTIFICATE OF
CONFORMITY
NO. NC/D/050**

Pursuant to art. 6 sec. 3 of the Conformity Assessment System Act of 30th August 2002 (Journal of Laws of 2002, No. 166, item 1360, as amended), it is confirmed that:

Burglary resistant doors of the ALUPROF[®] MB-86 system

manufactured according to the *Anti-burglary system* catalog of ALUPROF S.A.

with the burglar resistance classes:

RC1, RC2, RC3 according to PN-EN 1627:2012/Ap1:2015-03

placed on the market and manufactured by:

BOB-ROLLO Sp. z o.o.

ul. Młyńska 8, 84-230 Rumia

at the production plant:

BOB-ROLLO Sp. z o.o.

ul. Handlowa 25, 81-061 Gdynia

meet the requirements specified in:

PN-EN 1627:2012/Ap1:2015-03

Burglary resistant doors of the Aluprof MB-86 system made of aluminium profiles are manufactured as single- and double-leaf, glass doors. Doors can be used as products with the burglary resistance classes RC1, RC2, RC3 according to PN-EN 1627:2012/Ap1:2015-03.

Leaves dimensions and technical characteristics: according to the *Anti-burglary system* catalog of ALUPROF S.A.

CTO S.A. Product Certification Division carried out the product conformity certification under the 3 system, according to PN-EN ISO/IEC 17067:2014-01 and the PC-06 conformity assessment scheme (CTO S. A.).

This certificate is valid from 18.09.2018 to 17.09.2021, provided that the aforementioned technical specification is valid, the product meets its requirements and the following elements were not significantly changed: product type, factory production control, conditions and place of production

Magdalena Laskowska

On behalf of the Head of CTO S.A. Product Certification
Division

Leszek Wilczyński

Proxy - Research and Development Director